## **KERN OZP558C825**



Professional and powerful thanks to its extremely large magnification range, strong illumination and first-class optics in a digital combination



| Construction           |            |
|------------------------|------------|
| Eye distance (max):    | 76         |
| Eye distance (min):    | 52         |
| Optical system:        | Greenough  |
| Resolution:            | 5,100 MP   |
| Rotation of tube 360°: | yes        |
| Sensor:                | CMOS       |
| Sensor size:           | 1/2.5"     |
| Tube:                  | Trinocular |
| Tube angle:            | 35°        |

| Functions                       |  |
|---------------------------------|--|
| Supported operating system:     | Win XP Win Vista Win 7 Wir<br>8 Win 10 |
| Power supply                    |  |
| Input voltage:                  | 110 - 220 V                            |
| Mains adapter/adapter included: | EURO                                   |
| Category                        |  |
| Brand:                          | Optics                                 |
| Packaging & shipping            |  |
| Delivery:                       | 24 h                                   |
| Dimensions packaging (WxDxH):   | 590 x 440 x 390 mm                     |
| Gross weight:                   | 7,500 kg                               |
| Net weight:                     | 5,462 kg                               |
| Shipping method:                | Parcel service                         |
|                                 |  |

## **KERN OZP558C832**



Professional and powerful thanks to its extremely large magnification range, strong illumination and first-class optics in a digital combination



| Construction           |            |
|------------------------|------------|
| Eye distance (max):    | 76         |
| Eye distance (min):    | 52         |
| Optical system:        | Greenough  |
| Resolution:            | 5,100 MP   |
| Rotation of tube 360°: | yes        |
| Sensor:                | CMOS       |
| Sensor size:           | 1/2.5"     |
| Tube:                  | Trinocular |
| Tube angle:            | 35°        |

| Functions                       |  |
|---------------------------------|--|
| Supported operating system:     | Win XP Win Vista Win 7 Win<br>8 Win 10 |
| Power supply                    |  |
| Input voltage:                  | 110 - 220 V                            |
| Mains adapter/adapter included: | EURO                                   |
|                                 |  |
| Category                        |  |
| Brand:                          | Optics                                 |
| Packaging & shipping            |  |
| Delivery:                       | 24 h                                   |
| Dimensions packaging (WxDxH):   | 590 x 440 x 390 mm                     |
| Gross weight:                   | 7,500 kg                               |
| Net weight:                     | 5,462 kg                               |
| Shipping method:                | Parcel service                         |
|                                 |  |

## KERN **OZP 558T241**



Professional and powerful thanks to its extremely large magnification range, strong illumination and first-class optics in a digital combination



| Construction           |            |
|------------------------|------------|
| Eye distance (max):    | 76         |
| Eye distance (min):    | 52         |
| Optical system:        | Greenough  |
| Resolution:            | 5 MP       |
| Rotation of tube 360°: | yes        |
| Sensor:                | CMOS       |
| Sensor size:           | 1/2.5"     |
| Tube:                  | Trinocular |
| Tube angle:            | 35°        |

| Functions                       |                    |
|---------------------------------|--------------------|
| Supported operating system:     | Android            |
| Power supply                    |                    |
| Input voltage:                  | 110 - 220 V        |
| Mains adapter/adapter included: | EURO               |
|                                 |                    |
| Category                        |                    |
| Brand:                          | Optics             |
| Packaging & shipping            |                    |
| Delivery:                       | 24 h               |
| Dimensions packaging (WxDxH):   | 590 x 440 x 390 mm |
| Gross weight:                   | 7,550 kg           |
| Net weight:                     | 5,672 kg           |
| Shipping method:                | Parcel service     |
|                                 |                    |