

KERN LB200-2

Distance measurement directly in machines or sites with RS-232 interface



Construction

Casing material:	metal
Dimensions housing (WxDxH):	350 x 42 x 30 mm
Overall dimensions mounted (WxDxH):	350 x 42 x 30 mm

Piktogramme

STANDARD



OPTION



Measuring system

Measuring capacity [Max]:	20 cm
Precision (of [Max]):	3 %
Readability [d]:	10 μ m

Display

Display digit height (large):	8 mm
-------------------------------	------

Functions

Adjustabl pre-length:	yes
Zero setting:	yes

Environmental conditions

Maximum operating temperature:	40 °C
Minimum ambient temperature:	0 °C

Power supply

Battery:	3V CR2032
----------	-----------

Services (optional)

Factory calibration certificate:	961-150
----------------------------------	---------

Category

Brand:	Sauter
Category:	Length measuring devices
Product Group:	Integrated calliper gauge

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	370 x 60 x 55 mm
Gross weight:	440 g
Net weight:	420 g
Shipping method:	Parcel service

KERN LB 300-2

Distance measurement directly in machines or sites with RS-232 interface



Construction

Casing material:	metal
Dimensions housing (WxDxH):	440 x 42 x 30 mm
Overall dimensions mounted (WxDxH):	440 x 42 x 30 mm

Piktogramme

STANDARD



OPTION



Measuring system

Measuring capacity [Max]:	30 cm
Precision (of [Max]):	3 %
Readability [d]:	10 μ m

Display

Display digit height (large):	8 mm
-------------------------------	------

Functions

Adjustabl pre-length:	yes
Zero setting:	yes

Environmental conditions

Maximum operating temperature:	40 °C
Minimum ambient temperature:	0 °C

Power supply

Battery:	3V CR2032
----------	-----------

Services (optional)

Factory calibration certificate:	961-150
----------------------------------	---------

Category

Brand:	Sauter
Category:	Length measuring devices
Product Group:	Integrated calliper gauge

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	460 x 60 x 55 mm
Gross weight:	500 g
Net weight:	480 g
Shipping method:	Parcel service

KERN LB500-2

Distance measurement directly in machines or sites with RS-232 interface

KERN®



Piktogramme

STANDARD



OPTION



Measuring system

Measuring capacity [Max]:	50 cm
Precision (of [Max]):	3 %
Readability [d]:	10 µm

Functions

Adjustabl pre-length:	yes
Zero setting:	yes

Environmental conditions

Maximum operating temperature:	40 °C
Minimum ambient temperature:	0 °C

Power supply

Battery:	3V CR2032
----------	-----------

Category

Brand:	Sauter
Category:	Length measuring devices
Product Group:	Integrated calliper gauge

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	650 x 35 x 50 mm
Gross weight:	650 g
Net weight:	600 g
Shipping method:	Parcel service

Construction

Dimensions housing (WxDxH):	77 x 43 x 34 mm
Overall dimensions mounted (WxDxH):	640 x 30 x 42 mm